

Introduction

From your buccal swab sample we have used a process called the Polymerase Chain Reaction (PCR), which copies the DNA of your genes many times over so that we can generate sufficient quantities to analyse your genetic material. We then identify unique DNA sequences in some of your genes. Certain changes (polymorphisms) in these genes have been studied in detail, with evidence that correlates these polymorphisms with an individual's risk of developing certain chronic disease conditions or altered metabolic processes. Having identified the presence or absence of these polymorphisms, we are able to qualitatively assess particular areas of health risk related to the specific genes. To make a holistic assessment of health risks, environmental factors (diet and lifestyle) need to be considered in conjunction with the accompanying genetic profile.

How to read your results

You will find your genetic results in the following pages. On the left side you will see the gene name and description. On the right side you will find your specific result and an explanation of the results, associated risks, and diet and lifestyle recommendations. The impact can be identified by the following:















No Impact

Low Impact

Moderate Impact

High Impact

Beneficial Impact

Notes for practitioners

From the laboratories of:

Distributed by:







APPROVED BY:

Thenusha Naidoo - Medical Scientist Larisa Naguriah - Medical Technologist info@dnalife.healthcare www.dnalife.healthcare

Danny Meyersfeld (PhD) - Laboratory Director

Denmark Office: Nygade 6, 3.sal • 1164 Copenhagen K • Denmark

South Africa Office: North Block • Thrupps Centre • 204 Oxford Rd • Illove 2196 • South Africa

UK Office: 11 Old Factory Buildings • Battenhurst Road • Stonegate • E. Sussex • TN5 7DU • UK

DNAlysis Biotechnology has a laboratory with standard and effective procedures in place for handling samples and effective protocols in place to protect against technical and operational problems. However as with all laboratories, laboratory error can occur; examples include, but are not limited to, sample or DNA mislabelling or contamination, failure to obtain an interpretable report, or other operational laboratory errors. Occasionally due to circumstances beyond DNAlysis Biotechnology's control it may not be possible to obtain SNP specific results.

Tlf: +45 33 75 10 00

Tel: +27 (0) 11 268 0268

Tel: +44 (0) 1580 201 687